


City of Pevely

Residential Swimming Pool

Handout



City of Pevely

401 Main Street

Pevely, Mo. 63070

636-475-4452

APPLICATION FOR POOL PERMIT

- A residential pool permit must be obtained from the City of Pevely Code Enforcement Department. The completed application must contain the owner's names, street address where the pool is located, and contact phone numbers.
 - The permit fee for an above ground pool shall be \$30.00, and the fee for an in-ground pool shall be \$75.00. (IAW The Pevely Municipal Code, Title V, Article II, Section 500.060(D))
 - All fees shall be paid prior to a permit being issued or an inspection made. All monies can be paid by mail, or in person a Pevely City Hall.
 - All inspections must be scheduled 24 hours in advance.
 - A residential pool permit shall expire after SIX (6) months.
-

A swimming pool is defined as any structure intended for swimming or recreational bathing that contains water over 24 inches deep.

BARRIER REQUIREMENTS

(IAW International Code Council Property Maintenance Code, Chapter 3, Section 303)

- ✓ If the top of the pool is a minimum of 48 inches above finished grade, no further barrier is required. The pool ladder must be removed when not in use, or locked to prevent unauthorized entry into the pool.
- ✓ If the top of the pool is **LESS** than 48 inches above finished grade, then a fence or barrier with a locking gate must be installed around the entire pool.
- ✓ Said fence/barrier must be a minimum of 48 inches above finished grade as measured on the side of the barrier away from the pool.
- ✓ Gates and doors in such barriers shall be **Self-Closing** and **Self-Latching**.
- ✓ Where the self-latching device is less than **54 inches** above the bottom of the gate, the release mechanism shall be located on the pool side of the gate.
- ✓ Self-latching and self-closing gates shall be maintained such that the gate will positively close and latch when released from an open position of **6 inches** from the gate post.
- ✓ No existing pool enclosure shall be removed, replaced or changed in a manner that reduces its effectiveness as a safety barrier.
- ✓ Spas or hot tubs with a safety cover that complies with ASTM F 1346 shall be exempt from the above requirements.